

Scraplights

Hewn48 Pendant
Direct light



Color



Natural

4" GP2065-N
8" GP2068-N
12" GP2071-N



Blonde

4" GP2064-B
8" GP2067-B
12" GP2070-B



White

4" GP2066-W
8" GP2069-W
12" GP2072-W

Europe

Power	23W, 220-240V, mains dimming
Color temperature	3000K standard (options available)
Lumen output	3000lm downlight standard (options available)
Cord	Black, 2m
Canopy	Black powder coated, Ø 16, H 3.5 (cm)
Material	Recycled corrugated cardboard Corrugated cardboard
Size	L 121, W 10, H 11 (cm) L 121, W 10, H 20 (cm) L 121, W 10, H 30 (cm)
Weight	2kg 3,65kg 4,5kg
Fire retardant	Yes
Country of origin	The Netherlands
Certification	CE

Dry locations only. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.

Scraplights

Hewn48 Pendant

Direct light & Indirect light
Single circuit



Color



Natural

8" GP2071-N
12" GP2080-N



Blonde

8" GP2070-B
12" GP2079-B



White

8" GP2072-W
12" GP2081-W

Europe

Power 23-46W, 220-240V, mains dimming

Color temperature 3000K standard (options available)

Lumen output 3000lm downlight
3000lm upright standard
(options available)

Cord Black, 2m

Canopy Black powder coated,
Ø 16, H 3.5 (cm)

Material Recycled corrugated cardboard
Corrugated cardboard

Size L 121, W 10, H 20 (cm)
L 121, W 10, H 30 (cm)

Weight 3,65kg | 4,5kg

Fire retardant Yes

Country of origin The Netherlands

Certification 

Dry locations only. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.

Scraplights

Hewn48 Pendant

Direct light & Indirect light
Dual circuit



Color



Natural

8" GP2074-N
12" GP2083-N



Blonde

8" GP2073-B
12" GP2082-B



White

8" GP2075-W
12" GP2084-W

Europe

Power 23-46W, 220-240V, mains dimming

Color temperature 3000K standard (options available)

Lumen output 3000lm downlight, 3000lm uplight
standard (options available)

Cord Black, 2m

Canopy Black powder coated,
Ø 16, H 3.5 (cm)

Material Recycled corrugated cardboard
Corrugated cardboard

Size L 121, W 10, H 20 (cm)
L 121, W 10, H 30 (cm)

Weight 3,65kg | 4,5kg

Fire retardant Yes

Country of origin The Netherlands

Certification 

Dry locations only. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.